

**=> IFW: Scan as Doc Code: SRNT <=
Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number:

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Monday
Date: 4/24/2006

Time: 08:54:43

 **PALM INTRANET**

Inventor Information for 10/723026

| Inventor Name | City | State/Country |
|------------------------|---------|--------------------|
| <u>OH, HYUN WOO</u> | SUWON | KOREA, REPUBLIC OF |
| <u>OH, MOON KYUN</u> | DAEJEON | KOREA, REPUBLIC OF |
| <u>KIM, YOUNG BOO</u> | GONGJU | KOREA, REPUBLIC OF |
| <u>PARK, KWON CHUL</u> | DAEJEON | KOREA, REPUBLIC OF |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)**Search Another: Application#** **or Patent#** **PCT /** **/** **or PG PUBS #** **Attorney Docket #** **Bar Code #**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | | |
|-------------------------|--------------|----------|----|---|---------|---------|-----------------------------|
| US 20060085178 A1 | US- PGPUB | 20060420 | 13 | Apparatus and method for modeling and analyzing network simulation for network simulation package | 703/22 | | Yun; Sung Hyun et al. |
| US 20060077947 A1 | US- PGPUB | 20060413 | | Method and apparatus for encoding/decoding transmission information in mobile telecommunication system | 370/349 | | Kim; Young- Bum et al. |
| US 20060052685 A1 | US- PGPUB | 20060309 | 19 | PET - MRI hybrid apparatus and method of implementing the same | 600/407 | | Cho; Zang Hee et al. |
| US 20060034240 A1 | US- PGPUB | 20060216 | | Method and apparatus for signaling user equipment status information for uplink packet transmission in a soft handover region | 370/342 | | Kwak; Yong- Jun et al. |
| US 20060025629 A1 | US- PGPUB | 20060202 | | Method for producing (meth) acrylic acid | 562/600 | | Kang; Seong Pil et al. |
| US 20060023629 A1 | US- PGPUB | 20060202 | | Method and apparatus for performing autonomous transmission in a mobile communication system for supporting an enhanced uplink dedicated channel | 370/235 | | Kim; Young- Bum et al. |
| US 20060022249 A1 | US- PGPUB | 20060202 | | Memory device and method for fabricating the same | 257/306 | 438/250 | Jang; Se-Aug et al. |
| US 20060021311 A1 | US- PGPUB | 20060202 | | Biodegradable leaf collection net | 56/1 | | Kim; Young Beom |
| US 20060018282 A1 | US- PGPUB | 20060126 | | Method and apparatus for scheduling user equipment in a soft handover region for uplink packet transmission | 370/331 | | Kwak; Yong- Jun et al. |
| US 20060003787 | US- PGPUB | 20060105 | | Method and apparatus for data transmission in | 455/522 | 455/69 | Heo; Youn- Hyoung et al. |

| | | | | | | | |
|-------------------------|--------------|----------|--|---|---------|---------|-------------------------|
| A1 | | | | a mobile telecommunication system supporting enhanced uplink service | | | |
| US 20050281219 A1 | US- PGPUB | 20051222 | | Method and apparatus for data transmission/scheduling for uplink packet data service in a mobile communication system | 370/328 | | Kim, Young-Bum et al. |
| US 20050271031 A1 | US- PGPUB | 20051208 | | Method and apparatus for transmitting/receiving transmission status information and buffer state information in a mobile communication system that supports uplink packet service | 370/349 | | Cho, Joon-Young et al. |
| US 20050249164 A1 | US- PGPUB | 20051110 | | Method and apparatus for selecting serving scheduling cell for soft handover user equipment in an uplink packet transmission system | 370/335 | | Kwak, Yong-Jun et al. |
| US 20050249163 A1 | US- PGPUB | 20051110 | | Method and apparatus for determining rate matching parameters for a transport channel in a mobile telecommunication system | 370/335 | | Kim, Young-Bum et al. |
| US 20050249138 A1 | US- PGPUB | 20051110 | | Method and apparatus for setting power for transmitting signaling information on an E-DCH | 370/311 | 370/329 | Heo, Youn-Hyoung et al. |
| US 20050249120 A1 | US- PGPUB | 20051110 | | Method and apparatus for changing TTI based on a HARQ process in an enhanced uplink dedicated channel | 370/236 | | Heo, Youn-Hyoung et al. |
| US 20050245763 A1 | US- PGPUB | 20051103 | | Method for recovering acrylic acid | 562/600 | | Kang, Seong-Pil et al. |

| | | | | | | | |
|-------------------------|--------------|----------|--|--|-----------|-----------------------|-------------------------|
| US 20050213677 A1 | US- PGPUB | 20050929 | | Apparatus and method for allocating OVSF codes and I/Q channels for reducing peak-to-average power ratio in transmitting data via enhanced up-link dedicated channels in WCDMA systems | 375/260 | | Cho, Joon-Young et al. |
| US 20050213497 A1 | US- PGPUB | 20050929 | | Method for reusing OVSF codes of allocated physical channels for transmitting data via enhanced up-link in CDMA | 370/208 | | Cho, Joon-Young et al. |
| US 20050201337 A1 | US- PGPUB | 20050915 | | System and method for retransmitting uplink data in a code division multiple access communication system | 370/335 | 370/342 | Heo, Youn-Hyoung et al. |
| US 20050192464 A1 | US- PGPUB | 20050901 | | Method for producing (meth) acrylic acid | 562/600 | | Kang, Seong Pil et al. |
| US 20050157687 A1 | US- PGPUB | 20050721 | | Method and apparatus for providing uplink packet data service in asynchronous WCDMA system | 370/335 | | Heo, Youn-Hyoung et al. |
| US 20050146342 A1 | US- PGPUB | 20050707 | | Apparatus for generating test stimulus signal having current regardless of internal impedance changes of device under test | 324/755 | | Jang, Jin-mo et al. |
| US 20050141358 A1 | US- PGPUB | 20050630 | | Optical pick-up actuator | 369/44.15 | 369/44.22 | Kim, Young Bok |
| US 20050120692 A1 | US- PGPUB | 20050609 | | Leaf monster | 56/1 | | Kim, Young Beom |
| US 20050117519 A1 | US- PGPUB | 20050602 | | Method and apparatus for scheduling uplink rates adaptively to fast rate ramping in a packet communication system | 370/236 | 370/329; 370/395.4 | Kwak, Yong-Jun et al. |

| | | | | | | | |
|-------------------------|--------------|----------|--|---|-----------|---|--------------------------|
| US 20050091662 A1 | US- PGPUB | 20050428 | | System and method for providing digital contents using open API | 719/310 | | Oh, Hyun Woo et al. |
| US 20050083943 A1 | US- PGPUB | 20050421 | | Method and apparatus for scheduling uplink packet transmission in a mobile communication system | 370/395.4 | 370/342 | Lee, Ju-Ho et al. |
| US 20050078651 A1 | US- PGPUB | 20050414 | | Method and apparatus for assigning scheduling for uplink packet transmission in a mobile communication system | 370/349 | | Lee, Ju-Ho et al. |
| US 20050073985 A1 | US- PGPUB | 20050407 | | System and method for controlling a TTI in a W-CDMA communication system supporting enhanced uplink dedicated transport channel | 370/342 | 370/441 | Heo, Youn-Hyoung et al. |
| US 20050063339 A1 | US- PGPUB | 20050324 | | Soft combining apparatus and method in a CDMA mobile communication system providing MBMS service | 370/331 | 370/342 | Jeong, Kwang-Yung et al. |
| US 20050053035 A1 | US- PGPUB | 20050310 | | Method and apparatus for providing uplink packet data service on uplink dedicated channels in an asynchronous wideband code division multiple access communication system | 370/331 | 370/320; 370/335; 370/342; 370/441; 370/464; 370/537 | Kwak, Yong-Jun et al. |
| US 20050047416 A1 | US- PGPUB | 20050303 | | Method and apparatus for scheduling assignment of uplink packet transmission in mobile telecommunication system | 370/395.4 | 370/412 | Heo, Youn-Hyoung et al. |
| US 20050042581 | US- PGPUB | 20050224 | | Communication service system and method | 434/112 | | Oh, Hyun Woo et al. |

| | | | | | | | |
|-------------------------|--------------|----------|--|---|-----------|---|-------------------------|
| A1 | | | | based on open application programming interface for disabled persons | | | |
| US 20050025100 A1 | US- PGPUB | 20050203 | | Scheduling apparatus and method in a CDMA mobile communication system | 370/335 | 370/342 | Lee, Ju-Ho et al. |
| US 20050013263 A1 | US- PGPUB | 20050120 | | Apparatus and method for transmitting/receiving uplink data retransmission request in a CDMA communication system | 370/320 | 370/335; 370/342; 370/441; 370/473; 714/748 | Kim, Young-Bum et al. |
| US 20040162417 A1 | US- PGPUB | 20040819 | | Protease, a gene therefor and the use thereof | 536/23.1 | | Park, Ho-Yong et al. |
| US 20040160925 A1 | US- PGPUB | 20040819 | | System and method for retransmitting uplink data in a code division multiple access communication system | 370/335 | | Heo, Youn-Hyoung et al. |
| US 20040109395 A1 | US- PGPUB | 20040610 | | Slim-type optical pick-up actuator for recording/reproducing device | 369/44.22 | | Ju, Chae Min et al. |
| US 20040058687 A1 | US- PGPUB | 20040325 | | Apparatus and method for transmitting CQI information in a CDMA communication system employing an HSDPA scheme | 455/452.2 | 455/442 | Kim, Young-Bum et al. |
| US 20030231612 A1 | US- PGPUB | 20031218 | | Apparatus and method for determining soft handover in a CDMA mobile communication system providing MBMS service | 370/342 | 370/335 | Kim, Young-Bum et al. |
| US 20030197158 A1 | US- PGPUB | 20031023 | | Self-arrayed hole-carryable polymers used for organic photo-refractive materials and photo-refractive mixture containing them | 252/582 | 257/E51.028 | Lee, Suck-Hyun et al. |

| | | | | | | | |
|-------------------------|--------------|----------|--|--|------------|---|-------------------------|
| US 20030187599 A1 | US- PGPUB | 20031002 | | Circuit for measuring rising or falling time of high-speed data and method thereof | 702/79 | | Yoo, Du-sik et al. |
| US 20030155690 A1 | US- PGPUB | 20030821 | | Method for manufacturing plastic-substitute goods by using natural materials | 264/331.19 | | Kim, Young Bok et al. |
| US 20020056937 A1 | US- PGPUB | 20020516 | | Method for manufacturing plastic-substitute goods by using natural materials | 264/115 | 264/109; 264/118 | Kim, Young Bok et al. |
| US 20020036732 A1 | US- PGPUB | 20020328 | | Transflective color LCD device | 349/113 | 349/122 | Kim, Young-Beom |
| US 20020007815 A1 | US- PGPUB | 20020124 | | O-ring type rotary engine | 123/236 | 123/238 | Oh, Pill-Keun et al. |
| US 20010041994 A1 | US- PGPUB | 20011115 | | Visitor data management system and method thereof | 705/5 | | Kim, Young Bae |
| US 20010023469 A1 | US- PGPUB | 20010920 | | Distributed type input buffer switch system for transmitting arbitration information efficiently and method for processing input data using the same | 710/241 | 710/316 | Jeong, Gab-Joong et al. |
| US 20010014506 A1 | US- PGPUB | 20010816 | | METHOD FOR FORMING AN ISOLATION REGION IN A SEMICONDUCTOR DEVICE AND RESULTING STRUCTURE USING A TWO STEP OXIDATION PROCESS | 438/298 | 257/E21.559; 438/443; 438/445; 438/452 | JANG, SE AUG et al. |
| US 6790394 B2 | USPAT | 20040914 | | Method for manufacturing plastic-substitute goods by using natural materials | 264/115 | 264/118; 264/122; 264/123; 264/126 | Kim; Young Bok et al. |
| US 6706227 B1 | USPAT | 20040316 | | Method for manufacturing container by using | 264/115 | 264/118; 264/122; 264/123; | Kim; Young Bok et al. |

| | | | | | | | |
|------------------|-------|----------|--|---|---------|---|----------------------------|
| | | | | starch and grain powder | | 264/126 | |
| US 6542737 B1 | USPAT | 20030401 | | Method for checking speech channel of base station and vocoder of control station in mobile communication system | 455/423 | 370/241; 370/252; 455/424; 455/67.11; 455/67.14 | Kang; Dae Goo et al. |
| US 6537474 B1 | USPAT | 20030325 | | Method for manufacturing plastic-substitute goods by using natural materials | 264/115 | 264/123 | Kim; Young Bok et al. |
| US 6475416 B2 | USPAT | 20021105 | | Method for manufacturing plastic-substitute goods by using natural materials | 264/115 | 264/109; 524/15 | Kim; Young Bok et al. |
| US 6420241 B2 | USPAT | 20020716 | | Method for forming an isolation region in a semiconductor device and resulting structure using a two step oxidation process | 438/443 | 257/E21.559; 438/445; 438/452 | Jang; Se Aug et al. |
| US 6401092 B1 | USPAT | 20020604 | | Name type value storage | 707/10 | | Donohoe; J. Douglas et al. |
| US 6366223 B1 | USPAT | 20020402 | | Methods for coding and decoding nibble inversion codes and block inversion codes and coding and decoding apparatus for the same | 341/51 | 341/59 | Lee; Bhum Cheol et al. |
| US 6346895 B1 | USPAT | 20020212 | | Apparatus and method for using nibble inversion code | 341/58 | 341/59; 341/68; 341/69 | Lee; Bhum-Cheol et al. |
| US 6222844 B1 | USPAT | 20010424 | | Frame relay interworking service control method with ATM network using a permanent virtual connection | 370/397 | 370/399 | Han; Mi Sook et al. |
| US 6204070 B1 | USPAT | 20010320 | | Method for manufacturing ferroelectric capacitor | 438/3 | 257/E21.009; 257/E21.664; 438/238 | Kim; Young Bog |
| US 6180749 B1 | USPAT | 20010130 | | Glass clear heavy gauge sheet with copolyester | 528/272 | 264/176.1; 264/211.24; 264/219; 528/271 | Kim; Kyeong Ah et al. |

| | | | | | | | |
|------------------|-------|----------|--|--|-----------|---|------------------------|
| US 6175864 B1 | USPAT | 20010116 | | Method and apparatus for storyboard scripting of application programs running on a computer system | 709/219 | 707/103R; 709/217; 709/218; 709/250; 715/500; 715/700 | Addison; Skip et al. |
| US 6107144 A | USPAT | 20000822 | | Method for forming field oxide of semiconductor device and the semiconductor device | 438/297 | 257/E21.552; 438/425; 438/439 | Jang; Se Aug et al. |
| US 6104326 A | USPAT | 20000815 | | Bit synchronization apparatus for recovering high speed NRZ data | 341/68 | 331/57 | Lee; Bhum Cheol et al. |
| US 6031886 A | USPAT | 20000229 | | Digital phase alignment apparatus in consideration of metastability | 375/375 | 370/516; 375/371 | Nah; Ji Ha et al. |
| US 6027985 A | USPAT | 20000222 | | Method for forming element isolating film of semiconductor device | 438/443 | 257/E21.258; 257/E21.553; 257/E21.555; 257/E21.559; 438/445 | Jang; Se Aug et al. |
| US 5985738 A | USPAT | 19991116 | | Method for forming field oxide of semiconductor device using wet and dry oxidation | 438/452 | 257/E21.552; 438/439 | Jang; Se Aug et al. |
| US 5948544 A | USPAT | 19990907 | | Polyester multilayer sheet having excellent impact strength and weatherability, and a process for preparing the same | 428/480 | | Kim; Kyeong Ah et al. |
| US 5940719 A | USPAT | 19990817 | | Method for forming element isolating film of semiconductor device | 438/443 | 257/E21.258; 257/E21.553; 257/E21.555; 257/E21.559; 438/445 | Jang; Se Aug et al. |
| US 5940018 A | USPAT | 19990817 | | nB2P coding/decoding device | 341/94 | 714/800 | Kim; Jin-Young et al. |
| US 5905728 A | USPAT | 19990518 | | Method of assigning connection identifier in asynchronous transfer mode switching system | 370/395.3 | 370/397; 370/399; 370/409 | Han; Mi-Sook et al. |

| | | | | | | | |
|-----------------|-------|----------|--|---|------------|--|--------------------------|
| US 5887040 A | USPAT | 19990323 | | High speed digital data retiming apparatus | 375/372 | 327/152 | Jung; Hee-Young et al. |
| US 5867442 A | USPAT | 19990202 | | Variable output voltage booster circuits and methods | 365/226 | 365/222 | Kim; Young-Bae et al. |
| US 5747604 A | USPAT | 19980505 | | Polyphosphazenes with unsaturated side groups useful as reaction intermediates, cross-linkable polymers, and as components of interpenetrating polymer networks | 525/417 | 525/186; 525/188; 525/479; 525/538; 525/903; 528/399 | Allcock; Harry R. et al. |
| US 5722459 A | USPAT | 19980303 | | Pressure control valve of a hydraulic control system of an automatic transmission | 137/625.64 | 137/625.66 | Kim; Young Bae et al. |
| US 5719086 A | USPAT | 19980217 | | Method for isolating elements of semiconductor device | 438/443 | 257/E21.258; 257/E21.559; 438/445; 438/452; 438/775 | Kim; Young Bog et al. |
| US 5703882 A | USPAT | 19971230 | | Cyclic line coding apparatus for error detection and frame recovery | 370/474 | 370/522; 714/758 | Jung; Hee Young et al. |
| US 5675293 A | USPAT | 19971007 | | Voltage controlled ring oscillator | 331/57 | 331/135; 331/177R; 331/DIG.3 | Lee; Bhum Cheol et al. |
| US 5610816 A | USPAT | 19970311 | | Automatic steering method and apparatus for a non- railed transfer crane | 701/24 | 180/168; 180/169; 318/568.12; 318/587; 348/114; 348/116; 348/119; 348/155; 701/200; 701/217 | Kim; Young Bae |
| US 5570125 A | USPAT | 19961029 | | Method of controlling television broadcasting call in asynchronous transfer mode switching system | 725/116 | 370/399; 370/426; 725/117 | Oh; Moon K. et al. |
| US 5525935 A | USPAT | 19960611 | | High-speed bit synchronizer with | 331/11 | 327/156; 331/17; | Joo; Bheom S. et al. |

| | | | | | | | |
|-----------------|-------|----------|--|---|-----------|--|--------------------------|
| | | | | multi-stage control structure | | 331/23; 331/25; 331/DIG.2; 360/51; 375/375 | |
| US 5430772 A | USPAT | 19950704 | | Bit synchronizer for NRZ data | 375/363 | 327/2; 341/68; 375/362; 375/376 | Lee; Bhum C. et al. |
| US 5248969 A | USPAT | 19930928 | | Phase comparing and CMI/NRZ decoding apparatus | 341/73 | 341/68 | Lee; Bhum C. et al. |
| US 5233636 A | USPAT | 19930803 | | Analog and digital phase detector for bit synchronism | 375/373 | | Lee; Bhum C. et al. |
| US 5126990 A | USPAT | 19920630 | | Method of evaluating a storage medium by recirculating a test sample of a signal | 369/53.41 | 324/73.1 | Efron; Edward et al. |
| US 5126602 A | USPAT | 19920630 | | Digital phase detector in an NRZ bit synchronous system | 327/10 | 327/12 | Lee; Bhum C. et al. |
| US 5117135 A | USPAT | 19920526 | | Frequency and phase detection circuit in NRZ bit synchronous system | 327/7 | 327/40; 375/376 | Lee; Bhum C. et al. |
| US 5107263 A | USPAT | 19920421 | | NRZ to CMI (II) encoding circuit | 341/73 | 341/68 | Kim; Bong T. et al. |
| US 5105332 A | USPAT | 19920414 | | Capacitor network for coaxial connector | 333/182 | 333/181; 333/24C | Moffitt; Peter et al. |
| US 5018140 A | USPAT | 19910521 | | Reframe circuit in a synchronous multiplexing device | 370/514 | 375/368 | Lee; Bhum C. et al. |
| US 5001568 A | USPAT | 19910319 | | Signal evaluation by accumulation at one rate and releasing and testing at a slower rate | 386/46 | 360/25; 369/53.41; 369/53.44 | Efron; Edward et al. |
| US 4764915 A | USPAT | 19880816 | | Method and apparatus for recording a multiplexed signal on a record medium | 369/53.41 | 360/25; 360/31; 360/72.2 | Efron; Edward et al. |
| US 4755884 A | USPAT | 19880705 | | Audio evaluation of information stored on a record medium under control of video picture frame number | 386/96 | 360/25; 360/31; 360/72.2; 369/53.41; 369/53.44 | Efron; Edward et al. |

| | | | | | | | |
|-----------------|-------|----------|--|--|-----------|--|----------------------------|
| US 4746991 A | USPAT | 19880524 | | Recording characteristic evaluation of a recording medium with a time sequence of test signals | 386/25 | 360/31; 369/53.36 | Efron; Edward et al. |
| US 4682246 A | USPAT | 19870721 | | Characterizing the information transfer characteristics of a recording medium | 386/46 | 348/189; 360/25; 369/53.41; 369/53.44; 714/735 | Efron; Edward et al. |
| US 4623837 A | USPAT | 19861118 | | Audio/video quality monitoring system | 324/76.22 | 324/112; 324/76.12 | Efron; Edward et al. |
| US 4598324 A | USPAT | 19860701 | | Audio evaluation under control of video picture frame number | 386/54 | 360/25; 360/31; 360/72.2; 369/53.44 | Efron; Edward et al. |
| US 4524444 A | USPAT | 19850618 | | Analyzing the signal transfer characteristics of a signal processing unit | 714/735 | 324/73.1; 369/53.44 | Efron; Edward et al. |
| US 4455634 A | USPAT | 19840619 | | Audio/video quality monitoring system | 369/53.41 | 369/86; 369/91; 369/92 | Efron; Edward et al. |
| US 3234435 A | USPAT | 19660208 | | Magnetic field stabilizer for a superconductive device [TEXT AVAILABLE IN USOCR DATABASE] | 335/216 | 324/319; 505/870 | HEMPSTEAD CHARLES F et al. |
| US 3193734 A | USPAT | 19650706 | | Superconducting flux concentrator [TEXT AVAILABLE IN USOCR DATABASE] | 335/216 | 505/880 | HEMPSTEAD CHARLES F et al. |